


NOTES:

1. TO INSPECT ASSEMBLY, FOLLOW FIRST ARTICLE AND IN PROCESS INSPECTION SHEET.
2. APPLY LOCTITE 680.
3. CUT AND SHORTEN O-RING BY .13" TO .20" IN LENGTH BEFORE INSTALLING.
4. SLIT O-RING BEFORE INSTALLING.
5. APPLY LOCTITE 242.
6. CONNECT CLEAR AND RED TUBINGS TOGETHER AND WATER TEST WHOLE UNIT.
7. BAG 92194 IN A SEPARATE BAG.
8. REWORK CARTRIDGE ASSY IF THE HANDLE DOES NOT RETURN TO THE "OFF" POSITION AUTOMATICALLY AFTER WATER TESTING.
9. INSTALLATION TORQUE: 8-14 LB-FT.
10. INSTALLATION TORQUE: 78 LB-IN +/- 6 LB-IN
11. LUBRICATE SPRING WITH DOW CORNING III.V
12. APPLY THIN FILM OF DOW CORNING III.
13. INSTALLATION TORQUE: 10 -14 LB-IN.



BILL OF MATERIAL (CURRENT LEVEL)

ITEM	PT/ASSY	DESCRIPTION	TYPE	QTY.
1	12716	ESCUTCHEON	PART	1
2	13606	WATER DISP. BODY H/C (TRAD)	PART	1
3	50705	WATER DISP BODY CAP	PART	1
4	50706	WATER DISP SPOUT RET RING	PART	1
5	50713	SPOUT, WATER DISP. (TRAD.)	PART	1
6	50712	WATER DISP SPOUT SHELL	PART	1
7	91382	O-RING, #2- 012, TEFLON,	PART	1
8	91217	O-RING, #2-020, EPDM, 65-75 DURO, NSF 61	PART	1
9	91017	O-RING #2-012	PART	2
10	1-134	CARTR 3/8 HOT 1/4 TR	PART	1
11	5-067	3/8 SELF CLOSING CART. ASM.	ASSEMBLY	1
12	13661	WATER DISP HDL BONNET (TRAD)	PART	2
13	91383	O-RING, #2- 014, TEFLON, NSF 61	PART	1
14	92194	COUPLING, 3/8" X 1/4"	PART	1
15	98043	TAG LABEL, HOT WATER WARNING	PART	1
16	91762	O-RING, #2-132, EP, 50 DURO - GREY	PART	1
17	92926	ADAPTER	PART	1
18	92477	SCRW, M4 X 16 SKT FLT HD SS	PART	1
19	13491	WATER DISP LEVER HUB (TRAD)	PART	2
20	92017	SCRW, 1/4-20 X 3/16 SKT HD CUP PT SS	PART	2
21	92016	SCRW, 10-24 X 3/4 SKT HD FLT PT SS	PART	1
22	13784	LEVER HANDLE	PART	2
23	1-431	RED SUPPLY LINE	ASSEMBLY	1
24	1-432	BLUE SUPPLY LINE	ASSEMBLY	1
25	1-433	GREY SUPPLY LINE	ASSEMBLY	1
26	13070	RETAINER PLATE	PART	1
27	13289	NIPPLE	PART	1
28	1-393	1-1/8 18 UNEF MOUNTING KIT	ASSEMBLY	1

ZONE	REV	DESCRIPTION	DATE	APPROVED
-	G	EN-4187	10/25/22	J.M.
-	E	EN-4300jj	04/12/21	R.S.
-	D	EN-3634A	11/21/19	C.G.
-	C	EN-3722	02/08/19	C.G.
-	B	EN-3558o	12/31/18	V.V.
-	A	EN-3240	01/05/17	V.V.
-	-	EN-2980i	10/4/16	J.A.

COPYRIGHT 2005 BRASSTECH, INC. THESE DRAWINGS AND THE DESIGNS DEPICTED HEREIN ARE THE PROPRIETARY PROPERTY OF BRASSTECH. ANY USE OR REPRODUCTION IS SUBJECT TO THE EXPRESS APPROVAL OF BRASSTECH. UNAUTHORIZED USE IS STRICTLY PROHIBITED. ALL RIGHTS RESERVED.

TESTING	-	-	-
ASSEMBLY	-	-	-
PLATING	-	-	-
POLISHING	-	NEXT ASSY	USED ON
MACHINING	-	APPLICATION	
TOOLING FIXTURE #	REMOVE ALL BURRS AND SHARP EDGES		

UNITS ARE: INCHES [MM]  
TOLERANCES ARE:  
FRACTIONS DECIMALS ANGLES  
±1/16" .X ±.1 [2,5] ±1°  
.XX ±.06 [1,5]

(X.XXX) DENOTES CRITICAL DIMS.  
ALL THREADS ARE CRITICAL



DRAWN	JINSON	10/25/22
CHECKED	G.B.	10/25/22
APPROVED	J.M.	10/25/22

**BRASSTECH** 2001 CARNEGIE AVE.  
INCORPORATED SANTA ANA, CA 92705  
(949) 417-5207


**H & C WATER DISP, LEVER TRAD**

DWG NO. **1030-5603** REV **G**

SCALE .375 REF. - SHEET 1 OF 3



<b>BRASSTECH</b>		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
DWG NO.	1030-5603	REV	G
SCALE	.300	REF.	-
		SHEET	2 OF 3



<b>BRASSTECH</b>		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
DWG NO.	1030-5603	REV	G
SCALE	.375	REF.	-
		SHEET	3 OF 3