	4	3	•	2						
	NOTES:					BILL	OF MATERIAL (CURRENT	LEVEL)		
	I. TO INSPECT ASSEMBLY, FOLLOW FI	RST ARTICLE AND IN PROCESS INSPEC	TION SHEFT.	-	ITEM	PT/ASSY	DESCRIPTION	TYPE	QTY.	
	\wedge			-	I	3-403	RT MITER SPOUT ASSY	ASSEMBLY	I	
D	∠2. BAG AND LABEL: "3-576 DIVE	RIER HANDLE .			2	3-549	HANDLE/ ESC ASM	ASSEMBLY	2	D
				-	3	3-576	HANDLE/ ESC ASM, DIVERTER	ASSEMBLY	T	
				-	4		HANDSHOWER-ESC ASM	ASSEMBLY	1	
				-	5	283-101	ROUND WAND HANDSHOWER 59 IN. SPIRAL SHOWER HOSE	ASSEMBLY ASSEMBLY		
				l	v	204	JA TH, STINKE SHOWER HOSE	ASSEMDET		
С		between the second seco	5	ſ						с
в				6	6					B
A	OR REPR	TESTING - ASSEMBLY - SHT 2005 BRASSTECH, INC. PLATING PLATING - D HERIN ARC THE PROPRIETARY FOR FASSTECH, ANY USE POLISHING SUBJECT 10 RESS APROVID OF BRASSTECH MACHINING		CHECKED	MM] ANGLE ±1° CAL DI ICAL 02/02/	MS.	RASSTECH & ROMAN TUB FAUCE HANDSHOWER	TW/	REV	A
	ZONE REV DESCRIPTION DATE APPROVED	PRESS APPROVAL OF BRASSTECH. MACHINING . DRIZED USE IS STRICTLY ITED. ALL RIGHTS RESERVED. TOOLING FIXTURE	APPLICATION # REMOVE ALL BURRS AND SHARF	APPROVED	02/02/	21 21 SCALE	.300 REF SI	HEET OF	В 3	
		3	- " REMUVE ALL BUKKS AND SHAR	2	02/02/				5	1



