

VANDER

Features

Thermostatic Shower System Trim

- · Solid brass construction
- Temperature-adjust handle for thermostatic valve
- Lever handle assembly for control valve
- Intended for use with Newport Brass rough valve(s) as specified (Required Accessory)

3-2914TR

Also 3-561

Codes / Standards Compliance

Meets or exceeds the following at date of manufacture:

- ASME A112.1 &1/CSA B125.1
- IAMPO/cUPC
- IPC
- All applicable US Federal and State material regulations





3-2914TR

3-561

Colors / Finishes

- 10B: Oil Rubbed Bronze
 15: Polished Nickel
 15S: Satin Nickel PVD
- 26: Polished Chrome
- \bullet Other: Refer to the Newport Brass catalog for additional color/finish options.

Specified Model						
Model	Description	Colors Finishes				
3-2914TR	Thermostatic Shower System Trim	☐ 10B ☐ 15 ☐ 15S ☐ 26 ☐ Other				
3-561	Shower System Control Valve Trim (Escutcheon/Handle)	10B 15 15S 26 Other				

Required Accessory						
System Element	Shower Temp. Control	Flow Control Valve Option A		Flow Control Valve Option B***		
Description	Thermostatic	3-Outlet Diverter w/OFF		Single Outlet ON/OFF		
Inlet/Outlet Size	3/4"	1/2" (no share function)	1/2" (w/share function)	1/2"	3/4"	
Part Number	1-540	1-701*	1-702**	1-606U	1-607U	
Image						

Flow Control Option A: Select ONE (1-701 or 1-702) per system.

Flow Control Option B: Select ONE (1-606U or 1-607U) per each outlet fixture (ie showerhead, handshower, overhead soaker).

Product Specification Add "Color / Finish" suffix to Model number, below.


The Thermostatic Shower System Trim shall be made of solid brass construction. Thermostatic Shower System Trim shall include a faceplate and temperature-adjust handle. Shower System Control Valve Trim(s) (Escutcheon/Handle) shall be ADA compliant when used with specified Shower System Control Valve(s). Thermostatic Shower System Trim shall be Newport Brass Model 3-2914TR/____ and Thermostatic Shower System Valve shall be Newport Brass Model 1-540. Shower System Control Valve Trim (Handle/Escutcheon) shall be 3-561/____ and Shower System Control Valve(s) shall be 1-70____ (1 required) or 1-60____ (one required per outlet fixture).

^{* 1-701} is a diverter valve with NO share function capability between outlets.

^{** 1-702} is a diverter valve with share function capability between primary outlet and each of the other two outlets.

3-2914TR

Product Dimensions are provided for reference only. For specific product installation guidelines, please reference the Installation Instructions of the product being installed.



NOTE: Product Dimensions for the Shower System Control Valve Handle Trim (Handle/Escutcheon can be found within the Spec Sheet for that specific part number.

Vander Thermostatic Shower System Trim **3-2914TR**

